


113

8. The compound of claim 5, wherein the compound of Formula (A) has the structure of Formula (B):



wherein:

Y and R₁₂ taken together form a 4-, 5-, or 6-membered heterocyclic ring;
 each R_a is independently H, halogen, —CF₃, —CN, —NO₂, OH, NH₂, —L_a-(substituted or unsubstituted alkyl), —L_a-(substituted or unsubstituted alkenyl), —L_a-

114

(substituted or unsubstituted heteroaryl), or —L_a-(substituted or unsubstituted aryl), wherein L_a is a bond, O, S, —S(=O), —S(=O)₂, NH, C(O), CH₂, —NHC(O)O, —NHC(O), or —C(O)NH; and

Formula (B) 5 G together with the nitrogen atom to which it is bound forms a substituted acrylamide;
 or a pharmaceutically acceptable solvate, hydrate, or salt thereof.

10 9. The compound of claim 8, wherein each R_a is independently H, halogen, —L_a-(substituted or unsubstituted heteroaryl), or —L_a-(substituted or unsubstituted aryl), wherein L_a is O, —NHC(O), or —C(O)NH.

15 10. The compound of claim 9, wherein each R_a is independently H, F, or —L_a-(substituted or unsubstituted aryl), wherein L_a is O.

11. The compound of claim 10, wherein one R_a is F, and one R_a is —O-(unsubstituted phenyl).

20 12. The compound of claim 10, wherein one R_a is —O-(substituted phenyl) and —O-(substituted phenyl) is substituted with one or more F.

13. The compound of claim 8, wherein Y and R₁₂ taken together form a piperidine ring.

14. The compound of claim 8, wherein Y and R₁₂ taken together form a pyrrolidine ring.

* * * * *